



Cress Mfg. Company, Inc.

4736 Convair Dr.
 Carson City, NV 89706
 Phone (800)423-4584, (775)884-2777, E-mail cressmfg@earthlink.net
 We invite you to visit our Web Site at www.cresskilns.com, or FAX (775)884-2991

Cress Clean Air Vent System is an optional part - \$570.00 (retail)
 This system cannot be used on all our kilns.
 Please see notes to find out if the Clean Air System can be used with the kiln you are ordering.

January 1, 2022

| "B" | 50/60 Hertz | Retail | Thickness | Maximum | Chamber | Dimensions | | Outside | Outside | Dimension | | Kilo- | Shipping | | |
|----------------------|---------------|-------------|-----------|------------|---------|-------------|--------|---------|---------|-----------|-------|----------|----------|-------------|-----|
| Models | Volt | Price | Brick | Cone/Temp. | Opening | Depth | Cu.Ft. | Width | Depth | Height | Amps | Watts | Weight | Includes | |
| | | | Inches | | | | | | | | | | Pounds | Limit/Timer | |
| A4HKT | 115 | \$ 629.00 | 2.5 | 10 | 2350 | 6.5" X 6.5" | 4.5" | .11' | 13" | 17" | 17.5" | 15 | 1.7 | 50 | YES |
| A8HKT | 115 | \$ 956.00 | 3 | 10 | 2350 | 8" x 8" | 9" | .33' | 15.5" | 19.5" | 23" | 15 | 1.7 | 70 | YES |
| BT511KT | 115 | \$ 629.00 | 3 | 10 | 2350 | 11" HEX. | 4.5" | .28' | 17" | 20.5" | 18.5" | 15 | 1.7 | 60 | YES |
| BT711H | 115 | \$ 803.00 | 3 | 8 | 2300 | 11" HEX. | 6.5" | .40' | 17" | 20.5" | 20.5" | 15 | 1.7 | 70 | YES |
| BT911T | 115 | \$ 1,040.00 | 3 | 6 | 2250 | 11" Hex. | 9" | 0.55' | 17" | 20.5" | 24" | 15 | 1.7 | 80 | Yes |
| B1414TF | 220 | \$ 1,403.00 | 2.5 | 10 | 2350 | 14.38"Hep. | 13.5" | 1.38' | 22" | 22.5" | 27.5" | 16 | 3.8 | 110 | Yes |
| B1814HPF | 220 | \$ 1,701.00 | 2.5 | 10 | 2350 | 14.38"Hep. | 18" | 1.8' | 21" | 24.5" | 32" | 24 | 4.2 | 120 | Yes |
| Dual voltage | 208 | \$ 1,701.00 | 2.5 | 10 | 2350 | 14.38" Hep. | 18" | 1.8' | 21" | 24.5" | 32" | 23 | 4.2 | 120 | Yes |
| B18HTF | 240 | \$ 1,742.00 | 2.5 | 6 | 2250 | 17.5" Oct. | 18" | 2.6' | 22.5" | 26" | 32" | 22 | 5.3 | 140 | Yes |
| | 208 | \$ 1,742.00 | 2.5 | 6 | 2250 | 17.5" Oct. | 18" | 2.6' | 22.5" | 26" | 32" | 26 | 5.3 | 140 | Yes |
| B23HTF | 230 | \$ 1,905.00 | 2.5 | 6 | 2250 | 17.5" Oct. | 22.5" | 3.3' | 22.5" | 26" | 36.5" | 24 | 6 | 150 | Yes |
| | 208 | \$ 1,905.00 | 2.5 | 6 | 2250 | 17.5" Oct. | 22.5" | 3.3' | 22.5" | 26" | 36.5" | 29 | 6 | 150 | Yes |
| B2418HTF | 220 | \$ 2,585.00 | 2.5 | 10 | 2350 | 23.38" Dec | 18" | 4.7' | 29.5" | 34" | 33" | 36 | 7.9 | 210 | Yes |
| BT2418HTF interio | full size 220 | \$ 2,693.00 | 3 | 10 | 2350 | 23.38" Dec | 18" | 4.7' | 30.5" | 35" | 33" | 36 | 7.9 | 245 | Yes |
| B2418HTF | 208 | \$ 2,585.00 | 2.5 | 10 | 2350 | 23.38" Dec | 18" | 4.7' | 29.5" | 34" | 33" | 29+24 | 7.9 | 210 | Yes |
| BT2418HTF interio | 208 | \$ 2,693.00 | 3 | 10 | 2350 | 23.38" Dec | 18" | 4.7' | 30.5" | 35" | 33" | 29+24 | 7.9 | 245 | Yes |
| B24HTF | 240 | \$ 3,029.00 | 2.5 | 6 | 2250 | 23.38" Dec | 22.5" | 5.8' | 29.5" | 32.5" | 37.5" | 38 | 9.1 | 210 | Yes |
| B24HTF | 208 | \$ 3,029.00 | 2.5 | 6 | 2250 | 23.38" Dec | 22.5" | 5.8' | 29.5" | 32.5" | 37.5" | 44 | 9.1 | 210 | Yes |
| BT24HTF | full size 240 | \$ 3,134.00 | 3 | 6 | 2250 | 23.38" Dec | 22.5" | 5.8' | 30.5" | 33.5" | 38.5" | 38 | 9.1 | 245 | Yes |
| BT24HTF | interior 208 | \$ 3,134.00 | 3 | 6 | 2250 | 23.38" Dec | 22.5" | 5.8' | 30.5" | 33.5" | 38.5" | 44 | 9.1 | 245 | Yes |
| B27HTF* | 240 | \$ 3,423.00 | 2.5 | 6 | 2250 | 23.38" Dec | 27" | 7' | 29.5" | 32.5" | 42" | 48 | 11 | 275 | Yes |
| | 3 phase 208 | \$ 3,423.00 | 2.5 | 6 | 2250 | 23.38" Dec | 27" | 7' | 29.5" | 32.5" | 42" | 33A /3ph | 11 | 275 | Yes |
| BT27HT* | full size 240 | \$ 3,626.00 | 3 | 6 | 2250 | 23.38" Dec | 27" | 7' | 30.5" | 33.5" | 43" | 45 | 11 | 300 | Yes |
| (full size interior) | 3 phase 208 | \$ 3,626.00 | 3 | 6 | 2250 | 23.38" Dec | 27" | 7' | 30.5" | 33.5" | 43" | 33A /3ph | 11 | 300 | Yes |

*Three phase available. For 3" brick change "B" to "BT" in model number. Interior is full size, not reduced in size. **** 6-50P for UL version and L6-60P for CSA version plug cap.

Add "S" after first letter in model number for sectional kiln at additional cost of \$75.00. "F" after model number "fan ready".

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area.



January 1, 2022

| "E" | 50/60 Hertz | RETAIL | Thickness | Maximum | Chamber | Dimensions | | Outside | Outside | Dimensions | | Kilo- | Shipping | Price | |
|----------------------|---------------|--------------|------------|---------|---------|------------|-------|---------|----------|------------|----------|--------------|----------|-------------|------------|
| Models | Volt | PRICE | Brick | Cone | Temp. | Opening | Depth | Cu.Ft. | Width | Depth | Height | Amps | Weight | Includes | |
| | | | Inches | | | | | | | | | | Pounds | Limit/Timer | |
| A84HB | 115 | \$ 884.00 | 2.5 | 10 | 2350 | 8" x 8" | 4.5" | .15' | 14.5" | 19.5" | 23" | 15 | 1.7 | 50 | Electronic |
| A8HB | 115 | \$ 1,082.00 | 3 | 10 | 2350 | 8" x 8" | 9" | .33' | 15.5" | 19.5" | 23" | 15 | 1.7 | 70 | Electronic |
| ET911 | 115 | \$ 1,155.00 | 3 | 6 | 2250 | 11"Hex. | 9" | 0.55 | 17" | 20.5" | 24" | 15 | 1.7 | 100 | Electronic |
| E1414** | 220 | \$ 1,649.00 | 2.5 | 10 | 2350 | 14"Hep. | 18" | 1.8 | 21" | 25.5" | 32" | 22 | 4.84 | 100 | Electronic |
| E1814** | 220/208 | \$ 1,806.00 | 2.5 | 10 | 2350 | 14"Hep. | 18" | 1.8 | 21" | 25.5" | 32" | 24 | 5.2 | 120 | Electronic |
| E18 | 220 | \$ 2,011.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 18" | 2.6 | 22.5" | 26" | 32" | 25 | 5.5 | 140 | Electronic |
| | 208 | \$ 2,011.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 18" | 2.6 | 22.5" | 26" | 32" | 26 | 5.5 | 140 | Electronic |
| ET18 | full size 220 | \$ 2,095.00 | 3 | 10 | 2350 | 17.5" Oct. | 18" | 2.6 | 23.5" | 27" | 33" | 25 | 5.5 | 165 | Electronic |
| (full size interior) | 208 | \$ 2,095.00 | 3 | 10 | 2350 | 17.5" Oct. | 18" | 2.6 | 23.5" | 27" | 33" | 26 | 5.5 | 165 | Electronic |
| E23** | 240 | \$ 2,174.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3 | 22.5" | 26" | 36.5" | 36 | 8.6 | 150 | Electronic |
| **Dual voltage | 208 | \$ 2,174.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3 | 22.5" | 26" | 36.5" | 32 | 6.6 | 150 | Electronic |
| ET23** | full size 240 | \$ 2,289.00 | 3 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3 | 23.5" | 27" | 37.5" | 36 | 8.6 | 175 | Electronic |
| **Dual voltage | ingterior 208 | \$ 2,289.00 | 3 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3 | 23.5" | 27" | 37.5" | 32 | 6.6 | 175 | Electronic |
| E2418 | 220 | \$ 2,777.00 | 2.5 | 10 | 2350 | 23.38" Dec | 18" | 4.7 | 29.5" | 34" | 33" | 36 | 7.9 | 210 | Electronic |
| ET2418 interior | full size 220 | \$ 2,919.00 | 3 | 10 | 2350 | 23.38" Dec | 18" | 4.7 | 30.5" | 35" | 33" | 36 | 7.9 | 245 | Electronic |
| E24HP | 240 | \$ 3,149.00 | 2.5 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8 | 30.5" | 35" | 37.5" | 48 | 11.5 | 210 | Electronic |
| | 208 | \$ 3,149.00 | 2.5 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8 | 30.5" | 35" | 37.5" | 29+24 | 11 | 210 | Electronic |
| ET24HP | full size 240 | \$ 3,274.00 | 3 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8 | 30.5" | 35" | 37.5" | 48 | 11.5 | 245 | Electronic |
| (full size interior) | 208 | \$ 3,274.00 | 3 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8 | 30.5" | 35" | 37.5" | 29+24 | 11 | 245 | Electronic |
| EOT203023 | 240 | \$ 3,395.00 | 3 | 10 | 2350 | 20"X30" | 22.5" | 6.6 | 41.5" | 28.5" | 37.5" | 48 | 11.5 | 350 | Electronic |
| E27 | 240 | \$ 3,455.00 | 2.5 | 10 | 2350 | 23.38" Dec | 27" | 7 | 29.5" | 34" | 42" | 48 | 11.5 | 275 | Electronic |
| | 208 | \$ 3,455.00 | 2.5 | 10 | 2350 | 23.38" Dec | 27" | 7 | 29.5" | 34" | 42" | 29+26 | 11 | 275 | Electronic |
| ET27 | full size 240 | \$ 3,565.00 | 3 | 10 | 2350 | 23.38" Dec | 27" | 7 | 30.5" | 35" | 42" | 48 | 11.5 | 300 | Electronic |
| (full size interior) | 208 | \$ 3,565.00 | 3 | 10 | 2350 | 23.38" Dec | 27" | 7 | 30.5" | 35" | 42" | 29+26 | 11 | 300 | Electronic |
| ET2818 *** | 240 | \$ 3,472.00 | 3 | 10 | 2350 | 28.13 " RD | 18" | 6.60 | 35.5" | 40" | 33" | 48 | 11.5 | 300 | Electronic |
| | 208 | \$ 3,472.00 | 3 | 10 | 2350 | 28.13 " RD | 18" | 6.60 | 35.5" | 40" | 33" | 54 | 11.25 | 300 | Electronic |
| ET31*** | 240 | \$ 4,127.00 | 3 | 10 | 2350 | 23.38" | 31.5" | 8' | 30.5" | 33.5" | 46.5" | 56 | 11.5 | 315 | Electronic |
| ET28 *** | 240 | \$ 4,137.00 | 3 | 10 | 2350 | 28.13 " RD | 27" | 9.92 | 35.5" | 40" | 42" | 48 | 11.5 | 450 | Electronic |
| | 208 | \$ 4,137.00 | 3 | 10 | 2350 | 28.13 " RD | 27" | 9.92 | 35.5" | 40" | 42" | 17+38 | 11.5 | 450 | Electronic |
| ET2831*** | 240 | \$4,999.00 | 3 | 10 | 2350 | 28.13 " RD | 31.5" | 11.57 | 35.5" | 45" | 48" | 3ckts 70 tot | 16.8 | 460 | Electronic |
| | 208 | \$4,999.00 | 3 | 10 | 2350 | 28.13 " RD | 31.5" | 11.57 | 35.5" | 45" | 48" | 3Phase 45 | 16.8 | 460 | Electronic |
| EC30FH* | 240 | \$20,842.00 | 6.5 | 10 | 2350 | 24"Sq. | 30" | 10' | 52" | 40" | 70" | 61 | 14 | 1400 | Electronic |
| | 208 | \$20,842.00 | 6.5 | 10 | 2350 | 24"Sq. | 30" | 10' | 52" | 40" | 70" | 68 | 14 | 1400 | Electronic |
| EC242431FH | 240 | \$8,042.00 | 3 | 10 | 2350 | 24"X31.5" | 24" | 10.50 | 44.5" | 33.5" | 69.5" | 65 | 15.6 | 700 | Electronic |
| EC32FH "PM" | elements 230 | \$ 15,120.00 | 3 +1.5 BLK | 12 | 2400 | 28"W 32"H | 26" | 13.40 | 47" WIDE | 70" HIGH | 44" DEEP | 68 | 17 | 1200 | Electronic |
| "PM" elements | 208 | \$ 15,120.00 | 3 +1.5 BLK | 12 | 2400 | 28"W 32"H | 26" | 13.40 | 47" WIDE | 70" HIGH | 44" DEEP | 85 | 17 | 1200 | Electronic |
| "PM" elements | 3 phase 208 | \$ 15,120.00 | 3 +1.5 BLK | 12 | 2400 | 28"W 32"H | 26" | 13.40 | 47" WIDE | 70" HIGH | 44" DEEP | 53A/3PH | 17 | 1200 | Electronic |
| EC32FHL | 230 | \$ 13,892.00 | 3 +1.5 BLK | 10 | 2350 | 28"W 32"H | 26" | 13.40 | 47" WIDE | 70" HIGH | 44" DEEP | 68 | 17 | 1200 | Electronic |
| | 208 | \$ 13,892.00 | 3 +1.5 BLK | 10 | 2350 | 28"W 32"H | 26" | 13.40 | 47" WIDE | 70" HIGH | 44" DEEP | 85 | 17 | 1200 | Electronic |

Add "S" after first letter in model number for sectional kiln at additional cost. Many kilns also available 3 phase if required, let us know your needs.

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area.

Specs may change without notice.

*Three phase available. For 3" brick change "E" to "ET" in model number. Interior is full size, not reduced in size.

January 1, 2022

| Firemate Models | 50/60 Hertz Volt | RETAIL PRICE | Thickness Brick Inches | Maximum Cone Temp. | Chamber Opening | Dimensions Depth | Cu.Ft. | Outside Width | Outside Depth | Dimensions Height | Amps | Kilo-Watts | Shipping Weight Pounds | Includes Limit/Timer | |
|----------------------|------------------|--------------|------------------------|--------------------|-----------------|------------------|---------|---------------|---------------|-------------------|-------|------------|------------------------|----------------------|-----|
| FX1414F | 220 | \$ 1,355.00 | 2.5 | 10 | 2350 | 14.38" Hep. | 13.5" | 1.38' | 22" | 22.5" | 27.5" | 16 | 3.8 | 110 | Yes |
| FX1814HPF** | 220 | \$ 1,675.00 | 2.5 | 10 | 2350 | 14" Hep. | 18" | 1.8 | 21" | 24.5" | 32" | 24 | 5.3 | 120 | Yes |
| **dual voltage | 208 | \$ 1,675.00 | 2.5 | 10 | 2350 | 14" Hep. | 18" | 1.8 | 21" | 24.5" | 32" | 23 | 4.8 | 120 | Yes |
| FTX1814HPF | full size 220 | \$ 1,754.00 | 3 | 10 | 2350 | 14" Hep. | 18" | 1.8 | 22" | 25.5" | 33" | 24 | 5.3 | 120 | Yes |
| **dual voltage | interior 208 | \$ 1,754.00 | 3 | 10 | 2350 | 14" Hep. | 18" | 1.8 | 22" | 25.5" | 33" | 23 | 4.8 | 120 | Yes |
| FX18F | 240 | \$ 1,836.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 18" | 2.6 | 22.5" | 26" | 32" | 22 | 5 | 140 | Yes |
| FX23F | 220 | \$ 2,001.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3 | 22.5" | 26" | 36.5" | 24 | 5.3 | 150 | Yes |
| | 208 | \$ 2,001.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3 | 22.5" | 26" | 36.5" | 32 | 6.6 | 150 | Yes |
| FTX23F | full size 220 | \$ 2,211.00 | 3 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3 | 23.5" | 27" | 37.5" | 24 | 5.3 | 175 | Yes |
| (full size interior) | 208 | \$ 2,211.00 | 3 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3 | 23.5" | 27" | 37.5" | 32 | 6.6 | 175 | Yes |
| FX24F**** | 220 | \$ 3,112.00 | 2.5 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8 | 29.5" | 32.5" | 37.5" | 38 | 5.5 | 150 | Yes |
| | 208 | \$ 3,112.00 | 2.5 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8 | 29.5" | 32.5" | 37.5" | 40 | 5.5 | 150 | Yes |
| FTX24F**** | full size 220 | \$ 3,313.00 | 3 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8 | 29.5" | 32.5" | 37.5" | 38 | 5.5 | 175 | Yes |
| (full size interior) | 208 | \$ 3,313.00 | 3 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8 | 29.5" | 32.5" | 37.5" | 40 | 5.5 | 175 | Yes |
| FX2418F**** | 220 | \$ 2,561.00 | 2.5 | 10 | 2350 | 23.38" Dec | 18" | 4.67 | 29.5" | 32.5" | 33" | 36 | 8.6 | 210 | Yes |
| | 208 | \$ 2,561.00 | 2.5 | 10 | 2350 | 23.38" Dec | 18" | 4.67 | 29.5" | 32.5" | 33" | 42 | 8.74 | 210 | Yes |
| FTX2418F**** | full size 220 | \$ 2,762.00 | 3 | 10 | 2350 | 23.38" Dec | 18" | 4.67 | 29.5" | 32.5" | 33" | 36 | 8.6 | 245 | Yes |
| (full size interior) | 208 | \$ 2,762.00 | 3 | 10 | 2350 | 23.38" Dec | 18" | 4.67 | 29.5" | 32.5" | 33" | 42 | 8.74 | 245 | Yes |
| FX27F | 240 | \$ 3,392.00 | 2.5 | 10 | 2350 | 23.38" Dec | 27" | 7 | 29.5" | 32.5" | 42" | 48 | 11.5 | 275 | Yes |
| | 208 | \$ 3,392.00 | 2.5 | 10 | 2350 | 23.38" Dec | 27" | 7 | 29.5" | 32.5" | 42" | 18+35 | 11 | 275 | Yes |
| FTX27F | full size 240 | \$ 3,527.00 | 3 | 10 | 2350 | 23.38" Dec | 27" | 7 | 30.5" | 33.5" | 42" | 48 | 11.5 | 300 | Yes |
| (full size interior) | 208 | \$ 3,527.00 | 3 | 10 | 2350 | 23.38" Dec | 27" | 7 | 30.5" | 33.5" | 42" | 18+35 | 11 | 300 | Yes |
| FTX28UPF *** | 220 | \$ 4,299.00 | 3 | 8 | 2300 | 28" RD | 27" | 9.6 | 35.5" | 39" | 42" | 44 | 9.7 | 450 | Yes |
| (full size interior) | 208 | \$ 4,299.00 | 3 | 8 | 2300 | 28" RD | 27" | 9.6 | 35.5" | 39" | 42" | 17 + 38 | 11.86 | 450 | Yes |
| FTX31F | 240 | \$ 4,279.00 | 3 | 8 | 2300 | 23.38" Dec | 31 1/2" | 8 | 30.5" | 33.5" | 46.5" | 48 | 11.5 | 315 | Yes |
| (full size interior) | 208 | \$ 4,279.00 | 3 | 8 | 2300 | 23.38" Dec | 31 1/2" | 8 | 30.5" | 33.5" | 46.5" | two ckts | 12.9 | 315 | Yes |

**Dual voltage kilns may be fired on either 208 or 240 volt power.

****Built to the same standards as NRTL/c and UL specs 499 but not submitted for certification due to the low volume sold of these units.

***** 6-50P plug for UL and L6-60P plug for CSA versions.

Note: our thick wall models shown above maintain the full inside dimensions of the base models so your furniture kits fit properly.

You get more with Cress kilns. Designate 3" thickwall brick by using "FTX" instead of "FX" in model number.

Specs may change without notice.

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area.

3" brick kilns have full size interiors, not reduced in size. Add "S" after first letter in model number for sectional kiln at additional cost of \$75.00.

January 1, 2022

| "C" | RETAIL | Thickness | Maximum | Chamber | Dimensions | Outside | Outside | Dimensions | Total | Kilo- | Shipping | | |
|--|------------------|------------|------------|------------|------------|---------|---------|------------|--------|----------------------------------|----------|--------|------------|
| Thickwall | PRICE | Total | Cone Temp. | Opening | Depth | Cu.Ft. | Width | Depth | Height | Amps | Watts | Weight | Includes |
| Models | Volts | Insulation | | | | | | | | one phase | | Pounds | LimitTimer |
| C11HT | 115 \$ 2,079.00 | 4 | 6 2250 | 11" X 11" | 11" | 0.77 | 19" | 21.75" | 23.75" | 15 | 1.7 | 100 | Yes |
| C14T | 120 \$ 2,401.00 | 6 | 03 2000 | 11" X 11" | 13.5" | 0.95 | 23" | 25.5" | 28.5" | 15 | 1.8 | 150 | Yes |
| C20HT** | 230 \$ 6,299.00 | 6 | 6 2250 | 17.5" Sq. | 20" | 3.54 | 29.5" | 31.5" | 35.5" | 22 | 5.1 | 365 | Yes |
| | 208 \$ 6,299.00 | 6 | 6 2250 | 17.5" Sq. | 20" | 3.55 | 29.5" | 31.5" | 35.5" | 24 | 5 | 365 | Yes |
| C26H | 230 \$ 9,702.00 | 6 | 6 2250 | 20" Sq. | 25" | 5.7 | 35.5" | 37.5" | 42.5" | 38 | 8.7 | 665 | Yes |
| | 208 \$ 9,702.00 | 6 | 6 2250 | 20" Sq. | 25" | 5.7 | 35.5" | 37.5" | 42.5" | 42 | 8.7 | 665 | Yes |
| C8H** | 240 \$ 11,109.00 | 6 | 6 2250 | 24" Sq. | 24" | 8 | 38" | 43" | 44" | 45 | 10.8 | 775 | Yes |
| | 208 \$ 11,109.00 | 6 | 6 2250 | 24" Sq. | 24" | 8 | 38" | 43" | 44" | 24+28 | 10.8 | 775 | Yes |
| FXC8H** | 240 \$ 11,985.00 | 6 | 6 2250 | 24" Sq. | 24" | 8 | 38" | 43" | 44" | 45 | 10.8 | 775 | Yes |
| | 208 \$ 11,985.00 | 6 | 6 2250 | 24" Sq. | 24" | 8 | 38" | 43" | 44" | 24+28 | 10.8 | 775 | Yes |
| FXC30FH* | 230 \$ 20,847.00 | 6.5 | 10 2350 | 24" Sq. | 30" | 10 | 52" | 40" | 67" | 60 | 14 | 1400 | Yes |
| | 208 \$ 20,847.00 | 6.5 | 10 2350 | 24" Sq. | 30" | 10 | 52" | 40" | 67" | 70 | 15.6 | 1400 | Yes |
| FXC36FH* | 230 \$ 23,856.00 | 6.5 | 10 2350 | 24" Sq. | 36" | 10 | 52" | 46" | 67" | 68 | 16 | 1600 | Yes |
| | 208 \$ 23,856.00 | 6.5 | 10 2350 | 24" Sq. | 36" | 12 | 52" | 46" | 67" | 80 | 16 | 1600 | Yes |
| The FXC30FH & FXC36FH will fit through a 32" wide opening with the kiln door fully opened (270 degrees). | | | | | | | | | | Specs may change without notice | | | |
| C1006B*** | 115 \$ 1,259.00 | 2.5 | 3 2000 | 8.5" X 10" | 6.5" | 0.3 | 15.5" | 17.5" | 22" | 12 | 1.4 | 65 | control |
| C104HB | 115 \$ 1,390.00 | 3.5 | 6 2250 | 6.5" x 9" | 5.5" | 0.2 | 15.5" | 17.5" | 22" | 14 | 1.6 | 65 | control |
| * Price includes electronic high limit controller as well as Dawson kiln sitter & limit timer. These kilns may be made up to 6 feet deep inside upon request at additional cost. | | | | | | | | | | ***Includes elec. Ctrlr. | | | |
| ** These kilns may be made three phase upon request - amperage requirement would be greatly reduced. Kilns are still NRTL/C and Certified to UL standard 499 when 3 phase. | | | | | | | | | | | | | |
| CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area. | | | | | | | | | | Specs may change without notice. | | | |

KILN FURNITURE



| | | | | | |
|---|---|--|---|---|--|
| <p>FOR</p> <p>11" DIA HEXAGON KILNS:</p> <p>FX911M & B911H</p> <p>1 #10 FULL SHELF</p> <p>1 #10 HALF SHELF</p> <p>3 1/2" POSTS</p> <p>3 1" POSTS</p> <p>3 2" POSTS</p> <p>3 4" POSTS</p> <p>3 6" POSTS</p> <p>SHIPPING WT. 15 LBS.</p> <p>FKHEXAJR KIT</p> <p>\$72.00 RETAIL</p> | <p>FOR</p> <p>14" HEPTA KILNS:</p> <p>FX1814, FX1814M & E1814</p> <p>2 # 7 FULL SHELVES</p> <p>1 #7 HALF SHELF</p> <p>3 1/2" POSTS</p> <p>3 1" POSTS</p> <p>3 2" POSTS</p> <p>3 3" POSTS</p> <p>3 4" POSTS</p> <p>3 5" POSTS</p> <p>3 6" POSTS</p> <p>SHIPPING WT. 20 LBS</p> <p>FKHEPTA KIT</p> <p>\$112 RETAIL</p> | <p>FOR</p> <p>17.5" OCTAGON KILNS:</p> <p>FX23, FX23M, E23, ET23, E18, B23, & B18H</p> <p>3 #19 FULL SHELVES</p> <p>2 #19 HALF SHELVES</p> <p>4 1/2" POSTS</p> <p>4 1" POSTS</p> <p>4 2" POSTS</p> <p>4 3" POSTS</p> <p>4 4" POSTS</p> <p>4 5" POSTS</p> <p>4 6" POSTS</p> <p>SHIPPING WT. 40 LBS.</p> <p>FKOCTA STANDARD KIT</p> <p>\$176 RETAIL</p> | <p>FOR</p> <p>23.3" DECAGON KILNS:</p> <p>FX27, FX2418, E27 & ET27</p> <p>4 #24 SHELVES</p> <p>6 1/2" POSTS</p> <p>6 1" POSTS</p> <p>6 2" POSTS</p> <p>6 3" POSTS</p> <p>6 4" POSTS</p> <p>6 5" POSTS</p> <p>6 6" POTSTS</p> <p>SHIPPING WT. 40 LBS.</p> <p>FKDECAJR KIT</p> <p>\$215 RETAIL</p> | <p>FOR</p> <p>23.3" DECAGON KILN:</p> <p>FX27, FX2418, E27 & ET27</p> <p>8 #24 HALF SHELVES</p> <p>8 1/2" POSTS</p> <p>8 1" POSTS</p> <p>8 2" POSTS</p> <p>8 3" POSTS</p> <p>8 4" POSTS</p> <p>8 5" POSTS</p> <p>8 6" POSTS</p> <p>SHIPPING WT 80 LBS.</p> <p>FKDECA KIT</p> <p>\$369 RETAIL</p> | <p>FOR</p> <p>28" DIA KILNS:</p> <p>FTX28 & ET28</p> <p>8 #28 HALF SHELVES</p> <p>8 2" POSTS</p> <p>8 4" POSTS</p> <p>8 6" POSTS</p> <p>8 8" POSTS</p> <p>8 10" POSTS</p> <p>SHIPPING WT. 200 LBS</p> <p>FKDODECA</p> <p>\$535 RETAIL</p> |
|---|---|--|---|---|--|



Cress Mfg. Company, Inc.

4736 Convair Dr.

Carson City, NV 89706

Phone (800)423-4584, (775)884-2777, E-mail info@cressmfg.com

We invite you to visit our Web Site at www.cresskilns.com, or FAX (775)884-2991

RETAIL PRICES

Cress Clean Air Vent System is an optional part - \$570.00 (retail)

This system cannot be used on all kilns. Please see notes to find out if the Clean Air System can be used with the kiln you are ordering.

RETAIL
January 1, 2022

| FUSERS | 50/60 Hertz | Retail | Thickness | Maximum | Chamber | Dimensions | | Outside | Outside | Dimension | | Kilo- | Shipping |
|--|-------------|-------------|-----------|------------|------------|------------|--------|---------|---------|-----------|----------------------------------|--------|----------|
| Models | Volt | Price | Brick | Cone/Temp. | Opening | Depth | Cu.Ft. | Width | Depth | Height | Amps | Watts | Weight |
| | | | Inches | | | | | | | | | | Pounds |
| GK1 | 120 | \$ 1,565.00 | 2.5 | 3 2000 | 8"X 8" | 6.75" | .25' | 15.5" | 14.5" | 20" | 15 | 1.7 | 70 |
| GK2 | 240/208 | \$ 2,032.00 | 2.5 | 3 2000 | 12"X 12" | 9" | .75' | 25" | 25" | 39" | 19/16 | .3/3.3 | 180 |
| GK3 | 240 | \$ 2,289.00 | 2.5 | 3 2000 | 17"X 17" | 9" | | 31" | 26" | 39" | 24 | 5.7 | 200 |
| FUSER75E | 115 | \$ 1,221.00 | 2.5 | 3 2000 | 14" HEPT. | 4.5" | .46' | 21" | 18.5" | 17.5" | 15 | 1.7 | 60 |
| FUSER87E | 120 | \$ 1,373.00 | 2.5 | 3 2000 | 17.5" OCT. | 6 3/4" | .99' | 24.5" | 29" | 21" | 18 | 2.16 | 90 |
| FUSER89E | 240 | \$ 1,443.00 | 2.5 | 3 2000 | 17.5" OCT. | 9" | 1.32' | 24.5" | 29" | 25" | 20 | 4.8 | 100 |
| FUSERT2818E | 240 | \$ 3,433.00 | 3 | 3 2000 | 28.13" RD | 18" | 6.6' | 35.5" | 40" | 33" | 48 | 11.5 | 300 |
| | 208 | \$ 3,433.00 | 3 | 3 2000 | 28.13" RD | 18" | 6.6' | 35.5" | 40" | 33" | 54 | 11.25 | 300 |
| FUSERT2814E | 240 | \$ 3,196.00 | 3 | 3 2000 | 28.13" RD | 13.5" | 4.9' | 35.5" | 40" | 28.5" | 38 | 9.12 | 250 |
| | 208 | \$ 3,196.00 | 3 | 3 2000 | 28.13" RD | 13.5" | 4.9' | 35.5" | 40" | 28.5" | 36 | 7.5 | 250 |
| FUSER2418E | 240 | \$ 2,919.00 | 2.5 | 3 2000 | 23.38" Dec | 18" | 4.7' | 29.5" | 34" | 33" | 40 | 10 | 210 |
| FUSER2414E | 240 | \$ 2,309.00 | 2.5 | 3 2000 | 23.38" Dec | 13.5" | 3.5' | 29.5" | 22.5" | 27.5" | 36 | 8.64 | 225 |
| | 208 | \$ 2,309.00 | 2.5 | 3 2000 | 23.38" Dec | 13.5" | 3.5' | 29.5" | 22.5" | 27.5" | 31 | 6.5 | 225 |
| FUSERO203014E | 240 | \$ 2,945.00 | 2.5 | 3 2000 | 20"X30" | 13.5" | 3.9' | 41.5" | 28.5" | 27.5" | 38 | 9.12 | 200 |
| | 208 | \$ 2,945.00 | 2.5 | 3 2000 | 20"X30" | 13.5" | 3.9' | 41.5" | 28.5" | 27.5" | 44 | 9.15 | 200 |
| FUSERO46E | 240 | \$ 4,121.00 | 3 | 3 2000 | 46"X28" | 13.5" | 9.5' | 55" | 42" | 31" | 48 | 11.5 | 400 |
| CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area. | | | | | | | | | | | Specs may change without notice. | | |
| *Three phase available. For 3" brick add a "T" to the end of "FUSERT" in model number. Interior is full size, not reduced in size. *** Add \$144.00 to price for lid counterweight at time of order. | | | | | | | | | | | | | |
| CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area. | | | | | | | | | | | | | |