



NEW PRICES

Cress Mfg. Company, Inc.

4736 Convair Dr.

Carson City, NV 89706

Phone (800)423-4584, (775)884-2777, E-mail info@cressmfg.com

We invite you to visit our Web Site at www.cresskilns.com, or FAX (775)884-2991

RETAIL

Cress Clean Air Vent System is an optional part - \$560.00 (retail)
 This system cannot be used on all our kilns. Please see notes to find out if the Clean Air System can be used with the

August 1, 2021

**Sectional Kilns available for an additional \$50.00
 10 and 12 sided kilns come standard with an easy to open" LID ASSIST"**

"B"	60 Hertz	Retail	Thickness	Maximum	Chamber	Dimensions		Outside	Outside	Dimension		Kilo-	Shipping	
Models	Volt	Price	Brick	Cone/Temp.	Opening	Depth	Cu.Ft.	Width	Depth	Height	Amps	Watts	Weight	Includes
			Inches										Pounds	Limit Timer
A4HKT	115	\$ 599.00	2.5	10 2350	6.5" X 6.5"	4.5"	.11'	13"	17"	17.5"	15	1.7	50	YES
A8HKT	115	\$ 910.00	3	10 2350	8" x 8"	9"	.33'	15.5"	19.5"	23"	15	1.7	70	YES
BT511KT	115	\$ 599.00	3	10 2350	11" HEX.	4.5"	.28'	17"	20.5"	18.5"	15	1.7	60	YES
BT711H	115	\$ 765.00	3	8 2300	11" HEX.	6.5"	.40'	17"	20.5"	20.5"	15	1.7	70	YES
BT911T	115	\$ 990.00	3	6 2250	11" Hex.	9"	0.55'	17"	20.5"	24"	15	1.7	80	Yes
B1414TF	240	\$ 1,336.00	2.5	6 2250	14.38"Hep.	13.5"	1.38'	22"	22.5"	27.5"	16	3.8	110	Yes
B1814HPF	240	\$ 1,620.00	2.5	6 2250	14.38"Hep.	18"	1.8'	21"	24.5"	32"	24	4.2	120	Yes
Dual voltage	208	\$ 1,620.00	2.5	6 2250	14.38" Hep.	18"	1.8'	21"	24.5"	32"	23	4.2	120	Yes
B18HTF	240	\$ 1,659.00	2.5	6 2250	17.5" Oct.	18"	2.6'	22.5"	26"	32"	22	5.3	140	Yes
	208	\$ 1,659.00	2.5	6 2250	17.5" Oct.	18"	2.6'	22.5"	26"	32"	26	5.3	140	Yes
B23HTF	240	\$ 1,814.00	2.5	6 2250	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	24	6	150	Yes
	208	\$ 1,814.00	2.5	6 2250	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	29	6	150	Yes
B2418HTF	240	\$ 2,460.00	2.5	6 2250	23.38" Dec	18"	4.7'	29.5"	34"	33"	36	7.9	210	Yes
BT2418HTF interior	full size 240	\$ 2,565.00	3	6 2250	23.38" Dec	18"	4.7'	30.5"	35"	33"	36	7.9	245	Yes
B2418HTF	208	\$ 2,462.00	2.5	6 2250	23.38" Dec	18"	4.7'	29.5"	34"	33"	53	7.9	210	Yes
BT2418HTF interior	208	\$ 2,565.00	3	6 2250	23.38" Dec	18"	4.7'	30.5"	35"	33"	53	7.9	245	Yes
B24HTF	240	\$ 2,885.00	2.5	6 2250	23.38" Dec	22.5"	5.8'	29.5"	32.5"	37.5"	38	9.1	210	Yes
	208	\$ 2,885.00	2.5	6 2250	23.38" Dec	22.5"	5.8'	29.5"	32.5"	37.5"	44	9.1	210	Yes
BT24HTF	full size 240	\$ 2,985.00	3	6 2250	23.38" Dec	22.5"	5.8'	30.5"	33.5"	38.5"	38	9.1	245	Yes
	interior 208	\$ 2,985.00	3	6 2250	23.38" Dec	22.5"	5.8'	30.5"	33.5"	38.5"	44	9.1	245	Yes
B27HTF*	240	\$ 3,260.00	2.5	6 2250	23.38" Dec	27"	7'	29.5"	32.5"	42"	48	11	275	Yes
	3 phase 208	\$ 3,260.00	2.5	6 2250	23.38" Dec	27"	7'	29.5"	32.5"	42"	33	11	275	Yes
BT27HTF*	full size 240	\$ 3,453.00	3	6 2250	23.38" Dec	27"	7'	30.5"	33.5"	43"	45	11	300	Yes
(full size interior)	3 phase 208	\$ 3,453.00	3	6 2250	23.38" Dec	27"	7'	30.5"	33.5"	43"	33	11	300	Yes
*Three phase available. For 3" brick change "B" to "BT" in model number. Interior is full size, not reduced in size.										**** 6-50P for UL version and L6-60P for CSA version plug cap.				
Add "S" after first letter in model number for sectional kiln at additional cost of \$50.00.										Add "F" after model number for "fan ready" option.				
CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area.										SPECS AND PRICES SUBJET TO CHANGE WITHOUT NOTICE				

Sectional Kilns available for an additional \$50.00

August 1, 2021

10 and 12 sided kilns come standard with an easy to open "LID ASSIST"

"E" Models	50/60 Hertz Volt	RETAIL PRICE	Thickness Brick Inches	Maximum Cone Temp.	Chamber Opening	Dimensions Depth Cu.Ft.	Outside Width	Outside Depth	Dimensions Height	Amps	Kilo- Watts	Shipping Weight Pounds	Price Includes Limit Timer		
A84HB	115	\$ 842.00	2.5	10	2350	8" x 8"	4.5"	.15'	14.5"	19.5"	23"	15	1.7	50	Electronic
A8HB	115	\$ 1,030.00	3	10	2350	8" x 8"	9"	.33'	15.5"	19.5"	23"	15	1.7	70	Electronic
ET911	115	\$ 1,100.00	3	6	2250	11"Hex.	9"	0.55'	17"	20.5"	24"	15	1.7	100	Electronic
E1414	240	\$ 1,570.00	2.5	10	2350	14"Hep.	13.5"	1.8'	21"	25.5"	32"	22	4.8	100	Electronic
E1814	220/208	\$ 1,720.00	2.5	10	2350	14"Hep.	18"	1.8'	21"	25.5"	32"	24	5.2	120	Electronic
E18	220	\$ 1,915.00	2.5	10	2350	17.5" Oct.	18"	2.6'	22.5"	26"	32"	25	5.5	140	Electronic
	208	\$ 1,915.00	2.5	10	2350	17.5" Oct.	18"	2.6'	22.5"	26"	32"	26	5.5	140	Electronic
ET18	full size 220	\$ 1,995.00	3	10	2350	17.5" Oct.	18"	2.6'	23.5"	27"	33"	25	5.5	165	Electronic
(full size interior)	208	\$ 1,995.00	3	10	2350	17.5" Oct.	18"	2.6'	23.5"	27"	33"	26	5.5	165	Electronic
E23**	240	\$ 2,070.00	2.5	10	2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	36	8.6	150	Electronic
**Dual voltage	208	\$ 2,070.00	2.5	10	2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	32	6.6	150	Electronic
ET23**	full size 240	\$ 2,180.00	3	10	2350	17.5" Oct.	22.5"	3.3'	23.5"	27"	37.5"	36	8.6	175	Electronic
**Dual voltage	interior 208	\$ 2,180.00	3	10	2350	17.5" Oct.	22.5"	3.3'	23.5"	27"	37.5"	32	6.6	175	Electronic
E2418	240	\$ 2,645.00	2.5	10	2350	23.38" Dec	18"	4.7'	29.5"	34"	33"	36	7.9	210	Electronic
ET2418 interior	full size 240	\$ 2,780.00	3	10	2350	23.38" Dec	18"	4.7'	30.5"	35"	33"	36	7.9	245	Electronic
E24HP	240	\$ 2,999.00	2.5	10	2350	23.38" Dec	22.5"	5.8'	30.5"	35"	37.5"	48	11.5	210	Electronic
	208	\$ 2,999.00	2.5	10	2350	23.38" Dec	22.5"	5.8'	30.5"	35"	37.5"	53	11	210	Electronic
ET24HP	full size 240	\$ 3,118.00	3	10	2350	23.38" Dec	22.5"	5.8'	30.5"	35"	37.5"	48	11.5	245	Electronic
(full size interior)	208	\$ 3,118.00	3	10	2350	23.38" Dec	22.5"	5.8'	30.5"	35"	37.5"	53	11	245	Electronic
EOT203023	240	\$ 3,233.00	3	10	2350	20"X30"	22.5"	6.6'	41.5"	28.5"	37.5"	48	11.5	350	Electronic
E27	240	\$ 3,290.00	2.5	10	2350	23.38" Dec	27"	7'	29.5"	34"	42"	48	11.5	275	Electronic
	208	\$ 3,290.00	2.5	10	2350	23.38" Dec	27"	7'	29.5"	34"	42"	55	11	275	Electronic
ET27	full size 240	\$ 3,395.00	3	10	2350	23.38" Dec	27"	7'	30.5"	35"	42"	48	11.5	300	Electronic
(full size interior)	208	\$ 3,395.00	3	10	2350	23.38" Dec	27"	7'	30.5"	35"	42"	55	11	300	Electronic
ET2818***	240	\$ 3,307.00	3	10	2350	28.13 " RD	18"	6.6'	35.5"	40"	33"	48	11.5	300	Electronic
	208	\$ 3,307.00	3	10	2350	28.13 " RD	18"	6.6'	35.5"	40"	33"	54	11.2	300	Electronic
ET31	240	\$ 3,930.00	3	10	2350	23.38" Dec	31.5"	8'	30.5"	33.5"	46.5"	48	11.5	315	Electronic
ET28***	240	\$ 3,940.00	3	10	2350	28.13 " RD	27"	9.9'	35.5"	40"	42"	48	11.5	450	Electronic
	208	\$ 3,940.00	3	10	2350	28.13 " RD	27"	9.9'	35.5"	40"	42"	55	11.5	450	Electronic
ET2831***	240	\$ 4,765.00	3	10	2350	28.13 " RD	31.5"	11.57'	35.5"	45"	48"	70	16.8	460	Electronic
	208	\$ 4,765.00	3	10	2350	28.13 " RD	31.5"	11.57'	35.5"	45"	48"	45	16.8	460	Electronic
EC30FH*	240	\$ 19,850.00	6.5	10	2350	24" Sq.	30"	10'	52"	40"	70"	61	14	1400	Electronic
	208	\$ 19,850.00	6.5	10	2350	24" Sq.	30"	10'	52"	40"	70"	68	14	1400	Electronic
EC242431FH	240	\$ 7,659.00	3	10	2350	24"X31.5"	24"	10.5'	44.5"	33.5"	69.5"	65	15.6	700	Electronic
EC32FH "PM"	elements 240	\$ 14,400.00	3 +1.5 BLK	12	2400	28"W 32"H	26"	13.4'	47" WIDE	70" HIGH	44" DEEP	74	17	1200	Electronic
"PM" elements	208	\$ 14,400.00	3 +1.5 BLK	12	2400	28"W 32"H	26"	13.4'	47" WIDE	70" HIGH	44" DEEP	86	17	1200	Electronic
"PM" elements	3 phase 208	\$ 14,400.00	3 +1.5 BLK	12	2400	28"W 32"H	26"	13.4'	47" WIDE	70" HIGH	44" DEEP	53	17	1200	Electronic
EC32FHL	230	\$ 13,230.00	3 +1.5 BLK	10	2350	28"W 32"H	26"	13.4'	47" WIDE	70" HIGH	44" DEEP	74	17	1200	Electronic
	208	\$ 13,230.00	3 +1.5 BLK	10	2350	28"W 32"H	26"	13.4'	47" WIDE	70" HIGH	44" DEEP	86	17	1200	Electronic

Add "S" after first letter in model number for sectional kiln at additional cost of \$50. Many kilns also available 3 phase if required, let us know your needs.

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area.

*Three phase available. For 3" brick change "E" to "ET" in model number. Interior is full size, not reduced in size. SPECS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE

**10 and 12 sided kilns come standard with an easy to open" LID ASSIST"
Sectional Kilns available for an additional \$50.00**

August 1, 2021

Firemate Models	60 Hertz Volt	RETAIL PRICE	Thickness Brick	Maximum Cone Temp.	Chamber Opening	Dimensions Depth	Cu.Ft.	Outside Width	Outside Depth	Dimensions Height	Amps	Kilo-Watts	Shipping Weight	Includes Limit Timer
			Inches										Pounds	
FTX911M	115	\$ 1,115.00	3	6 2250	11" Hex	9"	0.55'	17"	20.5"	24"	15	1.7	80	Yes
FX1414F	240	\$ 1,290.00	2.5	10 2350	14.38"Hep.	13.5"	1.38'	22"	22.5"	27.5"	16	3.8	110	Yes
FX1814HPF**	240	\$ 1,595.00	2.5	10 2350	14" Hep.	18"	1.8'	21"	24.5"	32"	24	5.3	120	Yes
**dual voltage	208	\$ 1,595.00	2.5	10 2350	14" Hep.	18"	1.8'	21"	24.5"	32"	23	4.8	120	Yes
FTX1814HPF	full size 220	\$ 1,670.00	3	10 2350	14" Hep.	18"	1.8'	22"	25.5"	33"	24	5.3	120	Yes
**dual voltage	interior 208	\$ 1,670.00	3	10 2350	14" Hep.	18"	1.8'	22"	25.5"	33"	23	4.8	120	Yes
FX18F	240	\$ 1,750.00	2.5	10 2350	17.5" Oct.	18"	2.6'	22.5"	26"	32"	22	5	140	Yes
FANFARE23F	240	\$ 2,060.00	2.5	10 2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	24	5.3	150	Yes
	208	\$ 2,060.00	2.5	10 2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	32	6.6	150	Yes
FX23F	220	\$ 1,906.00	2.5	10 2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	24	5.3	150	Yes
	208	\$ 1,906.00	2.5	10 2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	32	6.6	150	Yes
FTX23F	full size 240	\$ 2,106.00	3	10 2350	17.5" Oct.	22.5"	3.3'	23.5"	27"	37.5"	24	5.3	175	Yes
(full size interior)	208	\$ 2,106.00	3	10 2350	17.5" Oct.	22.5"	3.3'	23.5"	27"	37.5"	32	6.6	175	Yes
FX24F****	240	\$ 2,964.00	2.5	10 2350	23.38" Dec	22.5"	5.8'	29.5"	32.5"	37.5"	38	5.5	150	Yes
	208	\$ 2,964.00	2.5	10 2350	23.38" Dec	22.5"	5.8'	29.5"	32.5"	37.5"	40	5.5	150	Yes
FTX24F****	full size 240	\$ 3,155.00	3	10 2350	23.38" Dec	22.5"	5.8'	29.5"	32.5"	37.5"	38	5.5	175	Yes
(full size interior)	208	\$ 3,155.00	3	10 2350	23.38" Dec	22.5"	5.8'	29.5"	32.5"	37.5"	40	5.5	175	Yes
FX2418F****	240	\$ 2,439.00	2.5	10 2350	23.38" Dec	18"	4.67'	29.5"	32.5"	33"	36	8.6	210	Yes
	208	\$ 2,439.00	2.5	10 2350	23.38" Dec	18"	4.67'	29.5"	32.5"	33"	42	8.7	210	Yes
FTX2418F****	240	\$ 2,630.00	3	10 2350	23.38" Dec	18"	4.67'	29.5"	32.5"	33"	36	8.6	245	Yes
(full size interior)	208	\$ 2,630.00	3	10 2350	23.38" Dec	18"	4.67'	29.5"	32.5"	33"	42	8.7	245	Yes
FX27F	240	\$ 3,230.00	2.5	10 2350	23.38" Dec	27"	7'	29.5"	32.5"	42"	48	11.5	275	Yes
	208	\$ 3,230.00	2.5	10 2350	23.38" Dec	27"	7'	29.5"	32.5"	42"	53	11	275	Yes
FTX27F	full size 240	\$ 3,359.00	3	10 2350	23.38" Dec	27"	7'	30.5"	33.5"	42"	48	11.5	300	Yes
(full size interior)	208	\$ 3,359.00	3	10 2350	23.38" Dec	27"	7'	30.5"	33.5"	42"	53	11	300	Yes
FTX28UPF***	240	\$ 4,095.00	3	8 2300	28" RD	27"	9.6'	35.5"	39"	42"	48	9.7	450	Yes
(full size interior)	208	\$ 4,095.00	3	8 2300	28" RD	27"	9.6'	35.5"	39"	42"	55	11.8	450	Yes
FTX31F	240	\$ 4,075.00	3	8 2300	23.38" Dec	31.5"	8'	30.5"	33.5"	46.5"	48	11.5	315	Yes
(full size interior)	208	\$ 4,075.00	3	8 2300	23.38" Dec	31.5"	8'	30.5"	33.5"	46.5"	55	12.9	315	Yes
Dual voltage kilns may be fired on either 208 or 240 volt power. *lid/wt price add \$144.00 at time of order for lid counter weight.								***** 6-50P plug for UL and L6-60P plug for CSA versions.						
****Built to the same standards as NRTL/c and UL specs 499 but not submitted for certification due to the low volume sold of these units..								SPECS AND PRICES SUBJET TO CHANGE WITHOUT NOTICE						
Note: our thick wall models shown above maintain the full inside dimensions of the base models so your furniture kits fit properly.														
You get more with Cress kilns. Designate 3" thick wall brick by using "FTX" instead of "FX" in model number.														
CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area.														
3" brick kilns have full size interiors, not reduced in size.														

**10 and 12 sided kilns come standard with an easy to open" LID ASSIST"
Sectional Kilns available for an additional \$50.00**

August 1, 2021

"C"		RETAIL	Thickness	Maximum	Chamber	Dimensions	Outside	Outside	Dimensions	Total	Kilo-	Shipping			
Thick wall	60 Hertz	PRICE	Total	Cone Temp.	Opening	Depth	Cu.Ft.	Width	Depth	Height	Amps	Watts	Weight	Includes	
Models	Volts		Insulation								one phase		Pounds	Limit Timer	
C11H	115	\$ 1,980.00	4	6	2250	11" X 11"	11"	0.77'	19"	21.75"	23.75"	15	1.7	100	Yes
C14T	115	\$ 2,287.00	6	03	2000	11" X 11"	13.5"	0.95'	23"	25.5"	28.5"	15	1.8	150	Yes
C20H**	240	\$ 5,999.00	6	6	2250	17.5" Sq.	20"	3.54'	29.5"	31.5"	35.5"	22	5.1	365	Yes
	208	\$ 5,999.00	6	6	2250	17.5" Sq.	20"	3.55'	29.5"	31.5"	35.5"	24	5	365	Yes
C26H	240	\$ 9,240.00	6	6	2250	20" Sq.	25"	5.7'	35.5"	37.5"	42.5"	38	8.7	665	Yes
	208	\$ 9,240.00	6	6	2250	20" Sq.	25"	5.7'	35.5"	37.5"	42.5"	42	8.7	665	Yes
C8H**	240	\$ 10,580.00	6	6	2250	24" Sq.	24"	8'	38"	43"	44"	45	10.8	775	Yes
	208	\$ 10,580.00	6	6	2250	24" Sq.	24"	8'	38"	43"	44"	52	10.8	775	Yes
FXC8H**	240	\$ 11,414.00	6	6	2250	24" Sq.	24"	8'	38"	43"	44"	45	10.8	775	Yes
	208	\$ 11,414.00	6	6	2250	24" Sq.	24"	8'	38"	43"	44"	52	10.8	775	Yes
FXC30FH*	240	\$ 19,854.00	6.5	10	2350	24" Sq.	30"	10'	52"	40"	67"	61	14	1400	Yes
	208	\$ 19,854.00	6.5	10	2350	24" Sq.	30"	10'	52"	40"	67"	68	15.6	1400	Yes
FXC36FH*	240	\$ 22,720.00	6.5	10	2350	24" Sq.	36"	10'	52"	46"	67"	68	16	1600	Yes
	208	\$ 22,720.00	6.5	10	2350	24" Sq.	36"	12'	52"	46"	67"	80	16	1600	Yes
The FXC30FH & FXC36FH will fit through a 32" wide opening with the kiln door fully opened (270 degrees).											Specs may change without notice				
C1006	115	\$ 1,087.00	2.5	3	2000	8.5" X 6.5"	10"	0.3'	15.5"	17.5"	22"	12	1.4	70	no
C1006B***	115	\$ 1,199.00	2.5	3	2000	8.5" X 6.5"	10"	0.3'	15.5"	17.5"	22"	12	1.4	70	control
C104H	115	\$ 1,140.00	3.5		2250	6.5" x 5.5"	9"	.2'	15.5"	17.5"	22"	14	1.6	70	no
C104HB**	115	\$ 1,324.00	3.5	6	2250	6.5" x 5.5"	9"	0.2'	15.5"	17.5"	22"	14	1.6	70	control
*Price includes electronic high limit controller as well as Dawson kiln sitter & limit timer. These kilns may be made up to 6 feet deep inside upon request at additional cost.											***Includes electronic Control				
** These kilns may be made three phase upon request - amperage requirement would be greatly reduced. Kilns are still NRTL/C and Certified to UL standard 499 when 3 phase.															
CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area.											SPECS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE				



KILN FURNITURE

<p>FOR</p> <p>11" DIA HEXAGON KILNS:</p> <p>FX911M & B911H</p> <p>1 #10 FULL SHELF</p> <p>1 #10 HALF SHELF</p> <p>3 1/2" POSTS</p> <p>3 1" POSTS</p> <p>3 2" POSTS</p> <p>3 3" POSTS</p> <p>3 4" POSTS</p> <p>3 5" POSTS</p> <p>3 6" POSTS</p> <p>SHIPPING WT. 15 LBS.</p> <p>FKHEXAJR KIT</p> <p>\$57.00 RETAIL</p>	<p>FOR</p> <p>14" HEPTA KILNS:</p> <p>FX1814, FX1814M & E1814</p> <p>2 # 7 FULL SHELVES</p> <p>1 #7 HALF SHELF</p> <p>3 1/2" POSTS</p> <p>3 1" POSTS</p> <p>3 2" POSTS</p> <p>3 3" POSTS</p> <p>3 4" POSTS</p> <p>3 5" POSTS</p> <p>3 6" POSTS</p> <p>SHIPPING WT. 20 LBS</p> <p>FKHEPTA KIT</p> <p>\$89 RETAIL</p>	<p>FOR</p> <p>17.5" DIA OCT KILNS:</p> <p>FX23, FX23M, E23, ET23, E18, B23, & B18H</p> <p>2 #19 FULL SHELVES</p> <p>1 #19 HALF SHELF</p> <p>3 1/2" POSTS</p> <p>3 1" POSTS</p> <p>3 2" POSTS</p> <p>3 3" POSTS</p> <p>3 4" POSTS</p> <p>3 5" POSTS</p> <p>3 6" POSTS</p> <p>SHIPPING WT. 30 LBS.</p> <p>FKOCTAJR JUNIOR KIT</p> <p>\$94 RETAIL</p>	<p>FOR</p> <p>17.5" OCTAGON KIL</p> <p>FX23, FX23M, E23, ET23, E18, B23, & B</p> <p>3 #19 FULL SHELF</p> <p>2 #19 HALF SHELF</p> <p>4 1/2" POSTS</p> <p>4 1" POSTS</p> <p>4 2" POSTS</p> <p>4 3" POSTS</p> <p>4 4" POSTS</p> <p>4 5" POSTS</p> <p>4 6" POSTS</p> <p>SHIPPING WT. 40 LE</p> <p>FKOCTA STANDARD</p> <p>\$141 RETAIL</p>	<p>FOR</p> <p>23.3" DECAGON KILNS:</p> <p>FX27, FX2418, E27 & ET27</p> <p>4 #24 SHELVES</p> <p>4 1/2" POSTS</p> <p>4 1" POSTS</p> <p>4 2" POSTS</p> <p>4 3" POSTS</p> <p>4 4" POSTS</p> <p>4 5" POSTS</p> <p>4 6" POTSTS</p> <p>SHIPPING WT. 40 LBS.</p> <p>FKDECAJR KIT</p> <p>\$172 RETAIL</p>	<p>FOR</p> <p>23.3" DECAGON KILN:</p> <p>FX27, FX2418, E27 & ET27</p> <p>8 #24 HALF SHELVES</p> <p>8 1/2" POSTS</p> <p>8 1" POSTS</p> <p>8 2" POSTS</p> <p>8 3" POSTS</p> <p>8 4" POSTS</p> <p>8 5" POSTS</p> <p>8 6" POSTS</p> <p>SHIPPING WT 80 LBS.</p> <p>FKDECA KIT</p> <p>\$295 RETAIL</p>	<p>FOR</p> <p>28" DIA KILNS:</p> <p>FTX28 & ET28</p> <p>8 #28 HALF SHELVES</p> <p>8 2" POSTS</p> <p>8 4" POSTS</p> <p>8 6" POSTS</p> <p>8 8" POSTS</p> <p>8 10" POSTS</p> <p>SHIPPING WT. 200 LBS</p> <p>FKDDECA</p> <p>\$428 RETAIL</p>
---	--	---	--	---	---	---



GLASS KILNS RETAIL PRICE LIST

Cress Mfg. Company, Inc.

4736 Convair Dr.

Carson City, NV 89706

Phone (800)423-4584, (775)884-2777 or FAX 775-884-2991

We invite you to visit our Web Site at www.cresskilns.com, or FAX (775)884-2991

August 1, 2021

10 and 12 sided kilns come standard with an easy to open" LID ASSIST"

FUSERS		Retail	Thickness	Maximum	Chamber	Dimensions		Outside	Outside	Dimension		Kilo-	Shipping
Models	Volts	Price	Brick	Cone/Temp	Opening	Depth	Cu.Ft.	Width	Depth	Height	Amps	Watts	Weight
			Inches										Pounds
GK1	120	\$1,550.00	2.5	03 / 2000	8" x 8"	6.75"	.25'	15.5"	14.5"	20"	15	1.7	70
GK2	240/208	\$2,012.00	2.5	03 / 2000	12" x 12"	9"	.75"	25"	25"	39"	19/16	3/3.3	180
GK3	240	\$2,267.00	2.5	03 / 2000	17" x 17"	9"		31"	26"	39"	24	5.7	200
FUSER75	120	\$765.00	2.5	03 / 2000	14" HEPT.	4.5"	.46'	21"	18.5"	17.5"	15	1.7	60
FUSER75E	120	\$1,210.00	2.5	03 / 2000	14" HEPT.	4.5"	.46'	21"	18.5"	17.5"	15	1.7	60
FUSER87	120	\$910.00	2.5	03 / 2000	17.5" OCT.	6 3/4"	.99'	24.5"	29"	21"	18	2.16	90
FUSER87E	120	\$1,360.00	2.5	03 / 2000	17.5" OCT.	6 3/4"	.99'	24.5"	29"	21"	18	2.16	90
FUSER89	240	\$1,065.00	2.5	03 / 2000	17.5" OCT.	9"	1.32'	24.5"	29"	25"	20	4.8	100
FUSER89E	240	\$1,430.00	2.5	03 / 2000	17.5" OCT.	9"	1.32'	24.5"	29"	25"	20	4.8	100
FUSER2414E	240	\$2,287.00	2.5	03 / 2000	23.38" Dec	13.5"	3.5'	29.5"	22.5"	27.5"	36	8.64	225
	208	\$2,287.00	2.5	03 / 2000	23.38" Dec	13.5"	3.5'	29.5"	22.5"	27.5"	31	6.5	225
FUSERO203014E	240	\$2,917.00	2.5	03 / 2000	20"X30"	13.5"	3.9'	41.5"	28.5"	27.5"	38	9.12	200
	208	\$2,917.00	2.5	03 / 2000	20"X30"	13.5"	3.9'	41.5"	28.5"	27.5"	44	9.15	200
FUSER2418E	240	\$2,780.00	2.5	03 / 2000	23.38" Dec	18"	4.7'	29.5"	34"	33"	42	10	210
FUSERT2814E	240	\$3,165.00	3	03 / 2000	28.13" RD	13.5"	4.9'	35.5"	40"	28.5"	38	9.12	250
	208	\$3,165.00	3	03 / 2000	28.13" RD	13.5"	4.9'	35.5"	40"	28.5"	36	7.5	250
FUSERT2818E	240	\$3,400.00	3	03 / 2000	28.13" RD	18"	6.6'	35.5"	40"	33"	48	11.5	300
	208	\$3,400.00	3	03 / 2000	28.13" RD	18"	6.6'	35.5"	40"	33"	54	11.3	300
FUSERO46E	240	\$4,080.00	3	03 / 2000	46"x28"	13.5"	9.5'	55"	42"	31"	48	11.5	400

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area.

*Three phase available. For 3" brick add a "T" to the end of "FUSERT" in model number. Interior is full size, not reduced in size.

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area.

Specs and prices subject to change without notice.

